




Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment
±2 mm



Side adjustment
+1/-3 mm




Depth adjustment
+3/-1 mm


All adjustment options are independent of one another.

2D-cross mounting plate, 3-point fixing

For screw fixing




- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	314.493.70.0015
02	314.493.70.0215
04	314.493.70.0415
06	314.493.70.0615
08	314.493.70.0815
PU 250 pieces	

2D-cross mounting plate, 3-point fixing



With pre-mounted Euro screws




- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	318.493.70.0015
02	318.493.70.0215
04	318.493.70.0415
PU 250 pieces	



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm

All adjustment options are independent of one another.

Nexis
Impresso

Nexis
Click-on

Nexis
Slide-on

Snap On
3000

Soft-close

Tipmatic

illuxo

Special
hinges

Cabinet
accessories

Assembly
aids

Index


2D-cross mounting plate, 2-point fixing

For screw fixing



height-adjustable
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam



Height	Item No.
00	314.493.71.0015
02	314.493.71.0215
03	344.493.82.0315
04	314.493.71.0415
06	314.493.71.0615
08	314.493.71.0815
PU 250 pieces	


2D-cross mounting plate, 2-point fixing

For Euro screws



height-adjustable
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam



Height	Item No.
00	317.493.71.0015
02	317.493.71.0215
04	317.493.71.0415
06	317.493.71.0615
08	317.493.71.0815
PU 250 pieces	


2D-cross mounting plate, 2-point fixing

With pre-mounted Euro screws



height-adjustable
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam



Height	Item No.
00	318.493.71.0015
02	318.493.71.0215
03	348.493.82.0315
04	318.493.71.0415
06	318.493.71.0615
08	318.493.71.0815
PU 250 pieces	


2D-cross mounting plate, 2-point fixing

With dowels



height-adjustable
depth-adjustable



- Steel/Zamak, nickel-plated
- For fixing with Ø 10 mm dowels
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	320.493.71.0015
02	320.493.71.0215
04	320.493.71.0415
PU 250 pieces	

Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm


All adjustment options are independent of one another.

1D-cross mounting plate, 2-point fixing

For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via eccentric cam




Height	Item No.
00	314.393.69.0015
02	314.393.69.0215
PU 250 pieces	

1D-cross mounting plate, 2-point fixing



With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via eccentric cam




Height	Item No.
00	318.393.69.0015
02	318.393.69.0215
04	318.393.69.0415
PU 250 pieces	



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm

All adjustment options are independent of one another.

Nexis
Impresso

Nexis
Click-on

Nexis
Slide-on


2-part cross mounting plate, 3-point fixing

For screw fixing



height-adjustable

- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm



Height	Item No.
00	315.393.55.0015
02	315.393.55.0215
04	315.393.55.0415
08	315.393.55.0815
18	315.393.55.1815
PU 250 pieces	

Snap On
3000

Soft-close


2-part cross mounting plate, 3-point fixing

For Euro screws



height-adjustable

- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 37 mm
- Line boring 32 mm



Height	Item No.
00	317.393.56.0015
02	317.393.56.0215
04	317.393.56.0415
08	317.393.56.0815
18	317.393.56.1815
PU 250 pieces	

Tipmatic


illuxo

Spacing plate, height 3 mm

For Euro screws



- For 2-part steel/Zamak plates
- Black plastic
- Stackable




Height	Item No.
03	525.090.04.0362
PU 500 pieces	

Special
hinges

Cabinet
accessories


2D-cross mounting plate, 3-point fixing

With pre-mounted Euro screws



height-adjustable

- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm





Height	Item No.
00	318.393.57.0015
02	318.393.57.0215
04	318.393.57.0415
08	318.393.57.0815
18	318.393.57.1815
PU 250 pieces	

Assembly
aids


Index

Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm


All adjustment options are independent of one another.

1-part cross mounting plate, 2-point fixing

For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment slot




height	Item No.
00	314.393.81.0015
02	314.393.81.0215
03	344.393.82.0315
04	314.393.81.0415
PU 250 pieces	

1-part cross mounting plate, 2-point fixing

With pre-mounted Euro screws



- Steel, nickel-plated
- For fixing with pre-mounted 13.5 mm long Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot




height	Item No.
00	318.393.81.0015
02	318.393.81.0215
03	348.393.82.0315
04	318.393.81.0415
PU 250 pieces	

1-part cross mounting plate, 2-point fixing



With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted 10.5 mm long Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot
- For twin application




height	Item No.
00	346.393.91.0015
02	346.393.91.0215
04	346.393.91.0415
PU 250 pieces	



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm

All adjustment options are independent of one another.

Nexis
Impresso

Nexis
Click-on

Nexis
Slide-on


1-part cross mounting plate, 3-point fixing

With expanding dowels



height-adjustable

- Steel, nickel-plated
- Fix with Ø 5 mm expanding dowels
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	319.393.81.0015
02	319.393.81.0215
04	319.393.81.0415
PU 250 pieces	

Plate must not be fastened with power screwdriver.


1-part cross mounting plate, 2-point fixing

With dowels



height-adjustable

- Steel, nickel-plated
- For fixing with Ø 10 mm plugs
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	321.393.76.0015
02	321.393.76.0215
04	321.393.76.0415
PU 250 pieces	


1-part cross mounting plate, 2-point fixing

With expanding dowel bridge



height-adjustable

- Steel, nickel-plated
- Fix with Ø 5 mm expanding dowel bridge
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	319.393.76.0015
02	319.393.76.0215
04	319.393.76.0415
PU 250 pieces	

Soft-close

Tipmatic

illuxo

Special
hinges


Cabinet
accessories

Assembly
aids

Index

Nexis Click-on mounting plates

For Nexis Click-on hinges.




All adjustment options are independent of one another.

1-part mounting plate, 2-point fixing, fixing distance 28 mm

For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height adjustment via slot




Height	Item No.
00	314.390.81.0015
02	314.390.81.0215
04	314.390.81.0415
PU 250 pieces	

1-part mounting plate, 2-point fixing, fixing distance 28 mm

With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height adjustment via slot




Height	Item No.
00	318.390.81.0015
02	318.390.81.0215
04	318.390.81.0415
PU 250 pieces	

2-part mounting plate, 2-point fixing, fixing distance 28 mm

For Euro screws




- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height-adjustable




Height	Item No.
02	317.390.82.0215
04	317.390.82.0415
PU 250 pieces	

1-part mounting plate, 2-point fixing, fixing distance 37 mm, line boring 25 mm



For Euro screws




- Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 25 mm
- Line boring 25 mm
- height-adjustable




Height	Item No.
02	346.290.22.0215
PU 250 pieces	



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm

All adjustment options are independent of one another.

Nexis
Impresso

Nexis
Click-on


Nexis
Slide-on

20° angle cross mounting plate, 2-point fixing

With pre-mounted Euro screws



- height-adjustable
- For 20° angle stops
- Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Line boring 32 mm
- Height adjustment



Height	Item No.
02	346.290.85.0215
04	346.290.85.0415
PU 250 pieces	


Snap On
3000

45° angle cross mounting plate, 2-point fixing

For Euro screws



- height-adjustable
- For 45° angle stops
- Zamak, nickel-plated
- For fixing with Euro screws
- Line boring 32 mm
- Height adjustment



Height	Item No.
02	346.290.83.0215
04	346.290.83.0415
PU 250 pieces	

Soft-close

Tipmatic

illuxo

Special
hinges



Cabinet
accessories

Assembly
aids


Index

Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment
±2 mm



Side adjustment
+1/-3 mm




Depth adjustment
+3/-1 mm


All adjustment options are independent of one another.

2D-special mounting plate for frame construction

With pre-mounted wood screws




- Steel/Zamak, nickel-plated
- For fixing with pre-mounted wood screws
- Height and depth adjustment via eccentric cam




Height	Item No.
00	346.290.92.0015
02	346.290.92.0215
04	346.290.92.0415
PU 250 pieces	

2D-special mounting plate for frame construction

For screw fixing



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height and depth adjustment via eccentric cam



Height	Item No.
00	346.290.91.0015
02	346.290.91.0215
04	346.290.91.0415
PU 250 pieces	

Special mounting plate for frame construction

For screw fixing




- Zamak, nickel-plated
- For fixing with wood screws
- Height adjustment via slot




Height	Item No.
00	346.290.88.0015
02	346.290.88.0215
04	346.290.88.0415
PU 250 pieces	

2-part special mounting plate for frame construction



For screw fixing




- For Inset doors
- To be used with hinges cranking 08
- Zamak, nickel-plated
- For fixing with wood screws
- Height-adjustable




Height	Item No.
02	346.290.90.0215
PU 250 pieces	



Height adjustment
±2 mm



Side adjustment
+1/-3 mm



Depth adjustment
+3/-1 mm

All adjustment options are independent of one another.


Nexis
Impresso

Nexis
Click-on


Nexis
Slide-on

2D-linear mounting plate, 2-point fixing

For screw fixing



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height and depth adjustment via eccentric cam




Thickness	Item No.
00	301.390.90.0015
02	301.390.90.0215
04	301.390.90.0415
PU 250 pieces	


Snap On
3000

1D-linear mounting plate, 2-point fixing

For screw fixing



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height adjustment via eccentric cam




Height	Item No.
00	301.390.91.0015
02	301.390.91.0215
03	344.390.82.0315
04	301.390.91.0415
PU 250 pieces	

Soft-close


Tipmatic

1D-linear mounting plate, 2-point fixing

With dowels



- Steel/Zamak, nickel-plated
- For fixing with Ø 10 mm dowels
- Height adjustment via eccentric cam



Height	Item No.
00	306.390.91.0015
02	306.390.91.0215
03	346.390.82.0315
04	306.390.91.0415
PU 250 pieces	

illuxo

Special
hinges

Cabinet
accessories

Assembly
aids

Index

Nexis Click-on accessories

For Nexis Click-on hinges.

Hinge arm cover caps

Cover cap in steel, long



*

Nickel-plated, without imprint

Item No.

514.300.02.0015

for hinges with cranking 00

PU 1000 pieces

Cover cap in plastic, long



**

Plastic, without imprint

Item No.

514.000.02.9762

for hinges with cranking 00

PU 1000 pieces

Cover cap in steel, open, Soft-close compatible



*

Nickel-plated, without imprint

Item No.

514.300.22.0015

for hinges with cranking 08 and 15

PU 1000 pieces

Cover cap in plastic, short, Soft-close compatible



**

Plastic, without imprint

Item No.

514.000.22.9762

for hinges with cranking 00, 08 and 15

PU 1000 pieces

Cover cap in steel, short, Soft-close compatible



*

Nickel-plated, without imprint

Item No.

514.300.21.0215

for hinges with cranking 00

PU 1000 pieces

Cover cap in plastic, with clip lock, Soft-close compatible



Plastic, without imprint

Item No.

514.000.12.0062

PU 5000 pieces

* ** on request with individual company logo

* ** on request with Grass imprint

* on request with Grass embossed

Cover cap for hinge cup

Click-on cover cap for hinge cup



Steel, nickel-plated


Item No.

514.300.20.0115

PU 125 pieces

Opening angle reduction clips

Opening angle reduction clip for 85°




For 110° standard door hinge, page 10
Prevents doors from colliding with fronts or walls
in corner installations. Black plastic

Item No.

641.000.10.0062

PU 1000 pieces

Opening angle reduction clip for 120°



For 170° wide-angle hinge, page 14
Prevents the door from knocking against the cabinet
where the door is inset. Black plastic

Item No.

641.000.09.9862

PU 250 pieces