




# Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm




Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

## 2D-cross mounting plate, 3-point fixing

### For screw fixing




- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	314.493.70.0015
02	314.493.70.0215
04	314.493.70.0415
06	314.493.70.0615
08	314.493.70.0815
PU 250 pieces	

## 2D-cross mounting plate, 3-point fixing



### With pre-mounted Euro screws




- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	318.493.70.0015
02	318.493.70.0215
04	318.493.70.0415
PU 250 pieces	



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm

All adjustment options are independent of one another.


Nexis  
Impresso

Nexis  
Click-on

Nexis  
Slide-on


**2D-cross mounting plate, 2-point fixing**

**For screw fixing**



height-adjustable  
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam




Height	Item No.
00	314.493.71.0015
02	314.493.71.0215
03	344.493.82.0315
04	314.493.71.0415
06	314.493.71.0615
08	314.493.71.0815
PU 250 pieces	

Snap On  
3000

Soft-close


**2D-cross mounting plate, 2-point fixing**

**For Euro screws**



height-adjustable  
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam



Height	Item No.
00	317.493.71.0015
02	317.493.71.0215
04	317.493.71.0415
06	317.493.71.0615
08	317.493.71.0815
PU 250 pieces	

Tipmatic

illuxo


**2D-cross mounting plate, 2-point fixing**

**With pre-mounted Euro screws**



height-adjustable  
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam



Height	Item No.
00	318.493.71.0015
02	318.493.71.0215
03	348.493.82.0315
04	318.493.71.0415
06	318.493.71.0615
08	318.493.71.0815
PU 250 pieces	

Special  
hinges

Cabinet  
accessories


**2D-cross mounting plate, 2-point fixing**

**With dowels**



height-adjustable  
depth-adjustable

- Steel/Zamak, nickel-plated
- For fixing with Ø 10 mm dowels
- Fixing distance 37 mm
- Line boring 32 mm
- Height and depth adjustment via eccentric cam





Height	Item No.
00	320.493.71.0015
02	320.493.71.0215
04	320.493.71.0415
PU 250 pieces	

Assembly  
aids


Index

# Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

## 1D-cross mounting plate, 2-point fixing

### For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via eccentric cam




Height	Item No.
00	314.393.69.0015
02	314.393.69.0215
PU 250 pieces	

## 1D-cross mounting plate, 2-point fixing



### With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via eccentric cam




Height	Item No.
00	318.393.69.0015
02	318.393.69.0215
04	318.393.69.0415
PU 250 pieces	



Height adjustment  
± 2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm

All adjustment options are independent of one another.

Nexis  
Impresso

Nexis  
Click-on


Nexis  
Slide-on

**2-part cross mounting plate, 3-point fixing**

**For screw fixing**



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm



Height	Item No.
00	315.393.55.0015
02	315.393.55.0215
04	315.393.55.0415
08	315.393.55.0815
18	315.393.55.1815
PU 250 pieces	

Snap On  
3000


Soft-close

**2-part cross mounting plate, 3-point fixing**

**For Euro screws**



- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 37 mm
- Line boring 32 mm



Height	Item No.
00	317.393.56.0015
02	317.393.56.0215
04	317.393.56.0415
08	317.393.56.0815
18	317.393.56.1815
PU 250 pieces	

Tipmatic


illuxo

**Spacing plate, height 3 mm**

**For Euro screws**



- For 2-part steel/Zamak plates
- Black plastic
- Stackable



Height	Item No.
03	525.090.04.0362
PU 500 pieces	

Special  
hinges


Cabinet  
accessories

**2D-cross mounting plate, 3-point fixing**

**With pre-mounted Euro screws**



- Steel/Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 37 mm
- Line boring 32 mm





Height	Item No.
00	318.393.57.0015
02	318.393.57.0215
04	318.393.57.0415
08	318.393.57.0815
18	318.393.57.1815
PU 250 pieces	

Assembly  
aids


Index

# Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

## 1-part cross mounting plate, 2-point fixing

## For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment slot




height	Item No.
00	314.393.81.0015
02	314.393.81.0215
03	344.393.82.0315
04	314.393.81.0415
PU 250 pieces	

## 1-part cross mounting plate, 2-point fixing

## With pre-mounted Euro screws



- Steel, nickel-plated
- For fixing with pre-mounted 13.5 mm long Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot




height	Item No.
00	318.393.81.0015
02	318.393.81.0215
03	348.393.82.0315
04	318.393.81.0415
PU 250 pieces	

## 1-part cross mounting plate, 2-point fixing



## With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted 10.5 mm long Euro screws
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot
- For twin application




height	Item No.
00	346.393.91.0015
02	346.393.91.0215
04	346.393.91.0415
PU 250 pieces	



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm

All adjustment options are independent of one another.

Nexis  
Impresso

Nexis  
Click-on

Nexis  
Slide-on


**1-part cross mounting plate, 3-point fixing**

**With expanding dowels**



height-adjustable

- Steel, nickel-plated
- Fix with Ø 5 mm expanding dowels
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	319.393.81.0015
02	319.393.81.0215
04	319.393.81.0415
PU 250 pieces	

Plate must not be fastened with power screwdriver.


**1-part cross mounting plate, 2-point fixing**

**With dowels**



height-adjustable

- Steel, nickel-plated
- For fixing with Ø 10 mm plugs
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	321.393.76.0015
02	321.393.76.0215
04	321.393.76.0415
PU 250 pieces	


**1-part cross mounting plate, 3-point fixing**

**With expanding dowel bridge**



height-adjustable

- Steel, nickel-plated
- Fix with Ø 5 mm expanding dowel bridge
- Fixing distance 37 mm
- Line boring 32 mm
- Height adjustment via slot



Height	Item No.
00	319.393.76.0015
02	319.393.76.0215
04	319.393.76.0415
PU 250 pieces	

Snap On  
3000

Soft-close

Tipmatic

illuxo

Special  
hinges


Cabinet  
accessories

Assembly  
aids

Index

# Nexis Click-on mounting plates

For Nexis Click-on hinges.



Height adjustment  
±2 mm

Side adjustment  
+1/-3 mm

Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

## 1-part mounting plate, 2-point fixing, fixing distance 28 mm

For screw fixing



- Steel, nickel-plated
- For fixing with wood screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height adjustment via slot




Height	Item No.
00	314.390.81.0015
02	314.390.81.0215
04	314.390.81.0415
PU 250 pieces	

## 1-part mounting plate, 2-point fixing, fixing distance 28 mm

With pre-mounted Euro screws




- Steel, nickel-plated
- For fixing with pre-mounted Euro screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height adjustment via slot




Height	Item No.
00	318.390.81.0015
02	318.390.81.0215
04	318.390.81.0415
PU 250 pieces	

## 2-part mounting plate, 2-point fixing, fixing distance 28 mm

For Euro screws




- Steel/Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 28 mm
- Line boring 32 mm
- Height-adjustable




Height	Item No.
02	317.390.82.0215
04	317.390.82.0415
PU 250 pieces	

## 1-part mounting plate, 2-point fixing, fixing distance 37 mm, line boring 25 mm



For Euro screws




- Zamak, nickel-plated
- For fixing with Euro screws
- Fixing distance 25 mm
- Line boring 25 mm
- height-adjustable




Height	Item No.
02	346.290.22.0215
PU 250 pieces	



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

**20° angle cross mounting plate, 2-point fixing**

**With pre-mounted Euro screws**



- For 20° angle stops
- Zamak, nickel-plated
- For fixing with pre-mounted Euro screws
- Line boring 32 mm
- Height adjustment




Height	Item No.
02	346.290.85.0215
04	346.290.85.0415
PU 250 pieces	

**45° angle cross mounting plate, 2-point fixing**

**For Euro screws**





- For 45° angle stops
- Zamak, nickel-plated
- For fixing with Euro screws
- Line boring 32 mm
- Height adjustment




Height	Item No.
02	346.290.83.0215
04	346.290.83.0415
PU 250 pieces	

# Nexis Click-on mounting plates


For Nexis Click-on hinges.



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm




Depth adjustment  
+3/-1 mm


All adjustment options are independent of one another.

## 2D-special mounting plate for frame construction

## With pre-mounted wood screws




- Steel/Zamak, nickel-plated
- For fixing with pre-mounted wood screws
- Height and depth adjustment via eccentric cam




Height	Item No.
00	346.290.92.0015
02	346.290.92.0215
04	346.290.92.0415
PU 250 pieces	

## 2D-special mounting plate for frame construction

## For screw fixing




- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height and depth adjustment via eccentric cam




Height	Item No.
00	346.290.91.0015
02	346.290.91.0215
04	346.290.91.0415
PU 250 pieces	

## Special mounting plate for frame construction

## For screw fixing




- Zamak, nickel-plated
- For fixing with wood screws
- Height adjustment via slot




Height	Item No.
00	346.290.88.0015
02	346.290.88.0215
04	346.290.88.0415
PU 250 pieces	

## 2-part special mounting plate for frame construction



## For screw fixing




- For Inset doors
- To be used with hinges cranking 08
- Zamak, nickel-plated
- For fixing with wood screws
- Height-adjustable




Height	Item No.
02	346.290.90.0215
PU 250 pieces	



Height adjustment  
±2 mm



Side adjustment  
+1/-3 mm



Depth adjustment  
+3/-1 mm

All adjustment options are independent of one another.


Nexis  
Impresso

Nexis  
Click-on


Nexis  
Slide-on

**2D-linear mounting plate, 2-point fixing**

For screw fixing



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height and depth adjustment via eccentric cam




Thickness	Item No.
00	301.390.90.0015
02	301.390.90.0215
04	301.390.90.0415
PU 250 pieces	

Snap On


3000

**1D-linear mounting plate, 2-point fixing**

For screw fixing



- Steel/Zamak, nickel-plated
- For fixing with wood screws
- Height adjustment via eccentric cam




Height	Item No.
00	301.390.91.0015
02	301.390.91.0215
03	344.390.82.0315
04	301.390.91.0415
PU 250 pieces	

Soft-close


Tipmatic

**1D-linear mounting plate, 2-point fixing**

With dowels



- Steel/Zamak, nickel-plated
- For fixing with Ø 10 mm dowels
- Height adjustment via eccentric cam



Height	Item No.
00	306.390.91.0015
02	306.390.91.0215
03	346.390.82.0315
04	306.390.91.0415
PU 250 pieces	

iilluxo

Special  
hinges

Cabinet  
accessories

Assembly  
aids

Index