


CUTTER ARBORS WITH ISO 30 TAPER

ART. T128



- Complete with retaining pawl page 7.33 and end cap page 10.14

- Nr. 3 pin holes to 120°

- Retaining pawl T118.790.R for: **Morbidelli, SCM**


Item		A	D	D ₁	L	End cap
T128.690.N	ISO 30	39	30	49	70	FF - Z092.001.R
T128.700.N	ISO 30	39	30	49	100	FF - Z092.001.R
T128.690.NM NEW	ISO 30	39	30	49	70	FP - Z092.002.R
T128.700.NM NEW	ISO 30	39	30	49	100	FP - Z092.002.R



Z051.016.R

CUTTER ARBORS WITH ISO 30 - ISO 40 TAPER

ART. T128



- Complete with retaining pawl page 7.33 and end cap page 10.14

- **Other retaining pawl on request**

Retaining pawl T118.891.R for: **Biesse, Masterwood - Bulleri (motor H.S.D.)**

Item		A	D	D ₁	L	End cap
T128.790.N	ISO 30	35	30	50	70	FF - Z092.001.R
T128.800.N	ISO 30	35	30	50	100	FF - Z092.001.R
T128.790.NM NEW	ISO 30	35	30	50	70	FP - Z092.002.R
T128.800.NM NEW	ISO 30	35	30	50	100	FP - Z092.002.R
T128.800.N120 NEW	ISO 30	35	30	50	120	FF - Z092.001.R
T128.800.N120M NEW	ISO 30	35	30	50	120	FP - Z092.002.R

Retaining pawl T118.792.R for: **Alberti, Vitap, Masterwood (motor G. Colombo)**

Item		A	D	D ₁	L	End cap
T128.791.N	ISO 30	35	30	50	70	FF - Z092.001.R
T128.801.N	ISO 30	35	30	50	100	FF - Z092.001.R
T128.791.NM NEW	ISO 30	35	30	50	70	FP - Z092.002.R
T128.801.NM NEW	ISO 30	35	30	50	100	FP - Z092.002.R

Retaining pawl T118.791.R (DIN 69872) for: **Busellato, Weeke, Ima, Bulleri, Maka, Cosmec, Reichenbacher, Elte**

Item		A	D	D ₁	L	End cap
T128.792.N	ISO 30	35	30	50	70	FF - Z092.001.R
T128.802.N	ISO 30	35	30	50	100	FF - Z092.001.R
T128.792.NM NEW	ISO 30	35	30	50	70	FP - Z092.002.R
T128.802.NM NEW	ISO 30	35	30	50	100	FP - Z092.002.R

Retaining pawl T118.893.R for: **Ima, Weeke, Maka, Reichenbacher, Stegherr**

Item		A	D	D ₁	L	End cap
T128.850.N	ISO 40	35	30	63,5	100	FF - Z092.001.R
T128.850.NM NEW	ISO 40	35	30	63,5	100	FP - Z092.002.R




Z051.016.R

CUTTER ARBORS WITH HSK63F TAPER

ART. T128

- Complete with end cap page 10.14

- Nr. 3 pin holes to 120°



Item		A	D	D1	L	End cap
T128.970.R	HSK 63 F	33	30	63	70	FF - Z092.001.R
T128.970.RM NEW	HSK 63 F	33	30	63	70	FP - Z092.002.R
T128.980.R	HSK 63 F	33	30	63	100	FF - Z092.001.R
T128.980.RM NEW	HSK 63 F	33	30	63	100	FP - Z092.002.R
T128.980.R060M	HSK 63 F	33	30	63	60	FP - Z092.002.R
T128.980.R075M	HSK 63 F	33	30	63	75	FP - Z092.002.R
T128.980.R080M	HSK 63 F	33	30	63	80	FP - Z092.002.R
T128.980.R090M	HSK 63 F	33	30	63	90	FP - Z092.002.R
T128.980.R095M	HSK 63 F	33	30	63	95	FP - Z092.002.R
T128.980.R105M	HSK 63 F	33	30	63	105	FP - Z092.002.R
T128.980.R110M	HSK 63 F	33	30	63	110	FP - Z092.002.R
T128.980.R115M	HSK 63 F	33	30	63	115	FP - Z092.002.R
T128.980.R120M	HSK 63 F	33	30	63	120	FP - Z092.002.R
T128.980.R125M	HSK 63 F	33	30	63	125	FP - Z092.002.R
T128.980.R130M	HSK 63 F	33	30	63	130	FP - Z092.002.R
T128.980.R135M	HSK 63 F	33	30	63	135	FP - Z092.002.R
T128.980.R140M	HSK 63 F	33	30	63	140	FP - Z092.002.R
T128.980.R145M	HSK 63 F	33	30	63	145	FP - Z092.002.R
T128.980.R150M	HSK 63 F	33	30	63	150	FP - Z092.002.R
T128.980.R180M	HSK 63 F	33	30	63	180	FP - Z092.002.R
T128.980.1x125M NEW	HSK 63 F	33	1"	63	125	FP - Z092.008.R
T128.980.1,25x125M NEW	HSK 63 F	33	1-1/4"	63	125	FP - Z092.010.R
T128.980.35x100 NEW	HSK 63 F	33	35	63	100	FF - Z092.003.R
T128.980.35x100M NEW	HSK 63 F	33	35	63	100	FP - Z092.004.R
T128.980.40x100 NEW	HSK 63 F	33	40	63	100	FF - Z092.005.R
T128.980.40x100M NEW	HSK 63 F	33	40	63	100	FP - Z092.006.R

Item		A	D	D1	L	End cap
T128.972.R	HSK 63 F	42	30	63	70	FF - Z092.001.R
T128.972.RM NEW	HSK 63 F	42	30	63	70	FP - Z092.002.R
T128.982.R	HSK 63 F	42	30	63	80	FF - Z092.001.R
T128.982.RM NEW	HSK 63 F	42	30	63	80	FP - Z092.002.R
T128.982.R080 NEW	HSK 63 F	42	30	63	80	FF - Z092.001.R
T128.982.R080M NEW	HSK 63 F	42	30	63	80	FP - Z092.002.R
T128.982.R125 NEW	HSK 63 F	42	30	63	125	FF - Z092.001.R
T128.982.R125M NEW	HSK 63 F	42	30	63	125	FP - Z092.002.R
T128.982.1,25x125M NEW	HSK 63 F	42	1-1/4"	63	125	FP - Z092.010.R
T128.982.35x100 NEW	HSK 63 F	42	35	63	100	FF - Z092.003.R
T128.982.35x100M NEW	HSK 63 F	42	35	63	100	FP - Z092.004.R

CUTTER ARBORS WITH HSK63E

T128.988.R	HSK 63 E	42	30	63	100	FF - Z092.001.R
------------	----------	----	----	----	-----	-----------------




Z051.016.R

CUTTER ARBORS WITH HSK85 TAPER

ART. T130 - T131 - T132

- Complete with end cap page 10.14

- Nr. 3 pin holes to 120°



for: **Weinig Powerlock system**

Item	A	D	D1	L	End cap
T130.060.N	58	30	85	60	FP - Z092.002.R
T130.080.N	58	30	85	80	FP - Z092.002.R
T130.100.N	58	30	85	100	FP - Z092.002.R
T130.130.N	58	30	85	130	FP - Z092.002.R
T130.150.N	58	30	85	150	FP - Z092.002.R
T130.180.N	58	30	85	180	FP - Z092.002.R
T130.200.N	58	30	85	200	FP - Z092.002.R
T130.230.N	58	30	85	230	FP - Z092.002.R
T130.240.N	58	30	85	240	FP - Z092.002.R
T131.080.N	58	35	85	80	FP - Z092.004.R
T131.100.N	58	35	85	100	FP - Z092.004.R
T131.120.N	58	35	85	120	FP - Z092.004.R
T131.150.N	58	35	85	150	FP - Z092.004.R
T131.200.N	58	35	85	200	FP - Z092.004.R
T132.060.N	58	40	85	60	FP - Z092.006.R
T132.080.N	58	40	85	80	FP - Z092.006.R
T132.100.N	58	40	85	100	FP - Z092.006.R
T132.150.N	58	40	85	150	FP - Z092.006.R
T132.180.N	58	40	85	180	FP - Z092.006.R
T132.200.N	58	40	85	200	FP - Z092.006.R
T132.240.N	58	40	85	240	FP - Z092.006.R



Z051.016.R

CUTTER ARBORS WITH HSK85S TAPER

ART. T132

- Complete with end cap page 10.14

- Nr. 3 pin holes to 120°



for: **SCM**

Item	A	D	D1	L	End cap
T132.320.NS NEW	58	50	85	320	FF - Z092.050.R



Z051.016.R